

Particle Physics Division Mechanical Department Engineering Note

Number:

MD-ENG-095

Date: 4 January 06

Project Internal Reference: None.

Project:

Air Compressor Engineering Note

Title:

FESHM 5031 Engineering Note

Author(s): Dave Pushka

Reviewer(s): ZHING TANG - SEE SIGNATURE ON 5031 (WOER SHT.

Key Words: Engineering note, silver sticker, pressure vessel

Abstract Summary: Engineering note for a code stamped pressure vessel used as an air receiver on a stationary electrically powered air compressor located at the bottom of the ramp to the NuMI absorber access tunnel. This compressor provides air for the MINOS LCW system and for the COUPP bubble chamber.

Applicable Codes: ASME Section VIII Division 1

PRESSURE VESSEL ENGINERING NOTE PER CHAPTER 5031

Prepared by: <u>Dave Pushka</u> Preparation date: <u>04 January 2006</u>

Fill in the label information below:	
This vessel conforms to Fermilab ES&H Manual Chapter 5031	
Vessel Title: MINOS GREEN air compressor	
Vessel Number PPD 10099	←Obtain from Division/Section Safety Office
Vessel Drawing Number: No drawing (commercial tank)	
Maximum Allowable Working Pressures (MAWP): Internal Pressure 200 psig External Pressure One atmosphere, 0 psig	*
Working Temperature Range: 20°F, 200°F	
Contents: Compressed Air	
Designer/Manufacturer	
Test Pressure (if tested at Fermi) Acceptance Not tested at Fermilab Date:	←Document per Chapter 5034 of the Fermilab ES&H Manual
PSI G , HydraulicPneumatic Accepted as conforming to standard by	
of Division/Section Date:	←Actual signature required
NOTE: Any subsequent changes in contents, pressures, temperatures, valving, etc., which affect the safety of this vessel shall require another review.	
Reviewed by: janeshyp D.	ate: 1-5-06
Director's signature (or designee) if the vessel is doesn't conform to the requirements of the chapter.	for manned areas but
Dat	e:

Amendmer	٠ ١ -	Mo	_
AMATICMAT	7 F	MO	-

Reviewed by:

Dа	+	α	

•	•	
Lab Property Number(s):		
Lab Location Code: MINOS Tunnel (Abs Access Ramp) (obtain	from safety officer
Purpose of Vessel(s): Air Receive:	r for a stationarv air c	ompressor
Vessel Capacity/Size: <u>80 gallons</u> _	_Diameter: 20 inch	Length: 63 inches
Normal Operating Pressure (OP) 1	75 psig	
MAWP-OP = 25 PSI		
List the numbers of all pertinent	drawings and the locati	on of the originals
Drawing #	Location of Original	or or originary.
None	Not applicable	

2. <u>Design Verification</u>

Is this vessel designed and built to meet the Code or "In-House Built" requirements? Yes_X_ No____.


If "No" state the standard that was used _____.

Demonstrate that design calculations of that standard have been made and that other requirements of that standard have been satisfied.

Skip to part 3 "system venting verification."

Does the vessel(s) have a U stamp? Yes_X_ No___. If "Yes", complete section 2A; if "No", complete section 2B.

A. Staple photo of U stamp plate below. Copy "U" label details to the side



Copy data here:

Certified by Buckeye Boiler Co. Dayton OHIO

U MAWP 200 psi @ 450 F

W MDMT 20 F @ 200 psi Yr 1990

Part No. 1164D 01 0001 W CRN

Provide ASME design calculations in an appendix. On the sketch below, circle all applicable sections of the ASME code per Section VIII, Division I. (Only for non-coded vessels)




Figure 1. ASME Code: Applicable Sections

2В.

Summary of ASME Code

<u>Item</u>	Reference ASME Code Section	CALCULATION RESULT (Required thickness or stress level vs. actual thickness calculated stress level)
		vs

3.	System Venting Verification Provide the vent system schematic.	
	Does the venting system follow the Code UG-125 through UG-137? Yes_ $X_NO_{}$	
	Does the venting system also follow the Compressed Gas Association Standards S-1.1 and S-1.3? Yes $X_N = N_0$	
	A "no" response to both of the two proceeding questions requires a justification and statement regarding what standards were applied verify system venting is adequate.	to
	List of reliefs and settings:	
	<u>Manufacturer</u> <u>Model # Set Pressure</u> <u>Flow Rate</u> <u>Size</u>	
	F.C. Kingston Co. 112C 200 PSIG 120 SCFM 4 inch	MNPT
4.	Operating Procedure	*
4.	Is an operating procedure necessary for the safe operation of this vessel? Yes NoX (If "Yes", it must be appended)	
5.	Welding Information	
	Has the vessel been fabricated in a non-code shop? Yes NoX If "Yes", append a copy of the welding shop statement of welding qualification (Procedure Qualification Record, PQR) which references the Welding Procedure Specification (WPS) used to this vessel.	der
6.	Existing, Used and Unmanned Area Vessels	
	Is this vessel or any part thereof in the above categories? Yes No_X _	
	If "Yes", follow the requirements for an Extended Engineering Note Existing, Used and Unmanned Area Vessels.	e for
7.	Exceptional Vessels	
	Is this vessel or any part thereof in the above category? Yes No_ X	
	If "Yes", follow the requirements for an Extended Engineering Note Exceptional Vessels.	e for

THIS VESSEL CONFORMS TO FERMILAB ES&H MANUAL CHAPTER 5031
Vessel Title: Portable Air Compressor Air Receiver
Vessel Number
Vessel Drawing Number: Not applicable as this is a purchased commercial air receiver
Maximum Allowable Working Pressures (MAWP):
Internal Pressure: 200 psi at 450 F
External Pressure: One atmosphere (0 psig)
Working Temperature Range 20 °F to 450 °F
Contents: Compressed Air
Designer: Buckeye Boiler Co
Test Pressure (if tested at Fermi) Not tested at FNAL DATE
PSIG, HydraulicPneumatic
Accepted as conforming to standard by
Of Division/Section
NOTE: Any subsequent changes in content, pressures, temperatures, valving, etc., which affect the safety of this vessel shall require another review and test.

Figure 2. Sample of sticker to be completed and be placed on vessel.

RELIEF VALVE SIZING CRITERIA:

Compressor is a Champion Model HR 3-8 Serial Number R150 78313.


The pressure switch shuts off the motor at 175 psig. The relief valve is set at 200 psig and the maximum allowable working pressure of the air receiver is 200 psig.

The compressor is the sole source of pressure for the receiver. The vessel is used indoors in an area with fire protection, so a fire condition is not a credible source of pressure. Therefore, the relief valve capacity is only dependent on the compressor displacement.

The compressor displacement is 14.1 cfm. The delivered air volume is 10.9 cfm at 125 psig; 9.7 cfm at 175 psig and 8.0 cfm at 250 psig. The relief valve capacity is 125 cfm at 220 psig (110% of the set pressure). Therefore, the relief valve capacity exceeds the compressor capacity and this meets the ASME requirements.

Relief valve was existing when the compressor was installed at MINOS.

5031TA-6 Rev. 12/2000



DATE: 04/13/2000

CHK'D BY:

SIMPLEX TANKMOUNT


CHAMPION- A GARDNER DENVER COMPANY

DATE:





EPENDABILITY.





At Champion, air compressor systems are our only products. We know and understand the application of our products in many different operating environments. Our goal is to provide you with the compressors that fulfill—and exceed—your expectations and requirements.

Because compressed air is an essential utility, dependability is an essential compressor quality. If your compressor goes down, it can hurt your reputation—and your bottom line. Champion reciprocating compressors are proven units, known for their reliability over decades of use. In addition to dependability, you want a compressor that is user-friendly. Champion comes through again, with a wide selection of configurations and options designed for trouble-free operation.

You can't beat a Champion!

CHAMPION RECIPROCATING COMPRESSORS...

THE VALUE LEADERS.

PROVEN DESIGN.

Today's Champion Reciprocating Compressors are the product of decades of design and development. In fact, we introduced the first single-stage compressor in 1919 and have continuously improved its design through innovations in materials, production techniques and quality control.

EROVENDE PENDABLUTY

You rely on compressed air to perform many tasks efficiently. Champion knows that reliability is one of the main reasons for a purchase. Our slow speed, built-in efficiency through design and the longest compressor warranty in the industry make Champion compressors the correct choice!

制造的數學可能與對於

R- and PL-Series compressors are loaded with features designed for day-in, day-out performance. For example, Champion's unique automotive-type domed piston design allows the use of large diameter, low lift valves, while minimizing clearance volume for maximum air delivery.

LEINE LEE

Features such as slow speed operation, rugged cast iron crankcase construction, corrosion resistant steel valves and tapered roller-type main bearings all contribute to long life.

A wide selection of configurations and available options, coupled with serviceability features make it easy to operate and maintain a Champion compressor. Compare all the features on the pages that follow. You'll discover why Champion is the value leader in reciprocating compressors for a broad range of automotive and industrial applications.

SELECT THE CONFIGURATION THAT MATCHES YOUR APPLICATION.

With many models from which to choose in both single-stage and two-stage, we can match your needs exactly. These configurations, combined with a wide choice of options, provide all the components for a customized installation. They are available in both R-Series splash-lubricated and PL-Series pressure-lubricated models.

INVOCUTAGE ILKIKOKE UKITED (IE. EDMERESEKERS

Available with horizontal or space-saving vertical tanks. Two-stage air compressors compress air to a higher pressure than single stage compressors.



Designed for installations where air tanks are remotely located.




For extra air delivery when you need it without wasted space. Plus the flexibility of single operation, alternating between compressors, or duplex operation to meet high air demand.





Truck and utility bed mounting design makes these compressors ideal for fleet and field service. Ideal for applications where electricity is not available.





For pump replacement or OEM applications, for the ultimate in air system design. Provides dependable service for industrial applications.











THE SPLASHILLISRICATED RESERVES

Loaded with rugged features, the R-Series splash-lubricated compressors deliver high performance, long life and tremendous value.

1 MULTI-FINNED CYLINDERS

Cooler operating temperatures result in longer life and consistent performance over time.

2 INTEGRAL CYLINDER/HEAD

Gasketless design eliminates the possibility of blown head gaskets for trouble-free operation.

3 BALANCED PISTONS

Aluminum alloy first-stage piston is weight-matched to the cast iron second-stage piston; ensuring proper balance.

4 PISTON RINGS

Three compression rings and one oil control ring provide excellent oil control, and high efficiency air delivery.

5 LIGHTWEIGHT CONNECTING RODS

High-density, die-cast aluminum alloy rods minimize reciprocating weight. An integral, precision-bored crankpin bearing and a needle bearing for the piston pin properly distribute bearing loads for longer bearing life than bushings.

6 PRESSURE RELIEF VALVES

Located in interstage and discharge.

7 INTERCOOLERS


Large-diameter finned tubing is positioned to obtain the greatest cooling effect between stages for maximum compressor efficiency.

8 OPTIMIZED COOLING FAN/FLYWHEEL

Precision balanced flywheel has fan blades for optimum compressor cooling and life.

9 RELIABLE, HIGH-FLOW VALVES

Single-unit, disc-type valves provide low lift and long life. Discs are made of corrosion resistant



Swedish steel. Valves are easily serviced by removing the manifolds only.

10 OVERSIZED MAIN BEARINGS

Tapered roller-type main bearings deliver the longest possible life.

11 BALANCED CRANKSHAFT

Constructed of rugged ductile iron with large diameter throws for minimum bearing loads and counterweights to minimize vibration.


12 LARGE CAPACITY CRANKCASE

Rugged cast iron oil reservoir has convenient sight gauge glass, corner oil fill boss and large oil drain.

13 LOADLESS STARTING

Positive acting, governor-type centrifugal unloader assures longer motor life by allowing the compressor to start unloaded every time.

THE PRESCURE LUBRICATED PL-SERIES



The PL-Series compressor has been designed to operate in extreme duty applications and is also an alternative to an R-Series unit. Because the PL-Series can operate up to 250 psi, in remote locations or in off-level operations, it is a true industrial use compressor. Champion is so confident in the way it has engineered and built its products, it offers a 5-year warranty on the compressor pump. The PL-Series features domed pistons, integral cylinder head, disc valves and an oil pump that provides lubricant to all crucial parts of the compressor. From its extra heavy duty design to its ease of maintenance, the Champion PL-Series exemplifies reliability, durability and quality.

1 PRESSURE LUBRICATION

Crankshaft and connecting rod bearings are pressure lubricated for extended life.

2 OIL PRESSURE GAUGE

Mounted on the front of the compressor for an excellent view and easy pressure monitoring.

3 BABBITT BEARINGS

Replaceable connecting rod crankshaft end bearings make repairs easy and inexpensive.

4 LUBRICANT FILTRATION

An external spin on oil filter and an internal oil inlet screen protect internal components from damaging debris.

5 POSITIVE DISPLACEMENT OIL PUMP

Provides lubricant to all critical areas of the compressor pump that require lubrication.

6 LOADLESS STARTING

Hydraulic unloader with-factory set pilot valve provides easy, loadless starts and low oil pressure protection for unattended operation.

QUALITY ACCESSORIES AT A GLANCE

Many options are available to help you develop a Champion compressor package that exactly matches your specific operating requirements.

For thermal overload protection. Required for units 3 HP and up. May be mounted or unmounted.

A FURE BULLED SER W

Removes up to 65% of the moisture from discharged compressed air.

B ADECTOR OF EVEN STORY

Automatically removes water from air receiver upon demand. Eliminates the need for manual purging.

Isolates the compressor unit from the foundation or floor. Reduces noise and protects the unit from any out-of-level floor situation that could cause vibration and damage.


5 - (មច្ច) V. (a) ពី១ ពី១/ (a) (ស្គ្រែវ) (មក១/១

Low Oil Level Monitor shuts down the unit when oil levels are below an adequate level. Prevents the unit from restarting if oil levels are not at an adequate level.



2







QUALITY ACCESSORIES AT A GLANCE

STREFRIGERATED AIR DRYER PYCLING DRINGHOYELING

Cools compressed air to a 33°-39° dew point, eliminating additional downstream condensation in the air line. Normally, a dryer should be used in conjunction with an aftercooler.

7. Der Euntrölepariel

The Microprocessed Duplex Programmable Relay Panel was created for controlling a duplex air compressor package. The controller includes visual maintenance and shut down alarms.

B PANALON GENERALEGER

ChampLub lubricants are blended specifically for Champion compressors for use in harsh compressor environments. They are sourced from extremely stable base stocks and enhanced with carefully selected additive packages to provide long life and superior protection. ChampLub lubricants are suitable for a variety of applications and are available as a mineral oil, synthetic or food-grade synthetic.

Available in 55-gallon drums, five-gallon pails, one-gallon bottles and one-quart bottles.


9 DISEVALVES AT A STATE OF THE

Disc valves provide low lift and long life. Disc are made from Swedish Steel and are replaceable.



7

6



8





OTHER OPTIONS

- Power Monitor shuts down unit in the event of single phasing, low voltage or phase reversal.
- Constant Speed Control prevents excessive motor start/stop cycles while saving energy.
- Dual Control allows compressor to run either in start/stop or constant speed mode.


R & PLEERIES BAREPUNE DIMENSIONS


R10D, R15B, PL-15








	llem	R-100 R158, PL-15 Inch	R-300 & PL-30	R-40A & PL-40 Inch	R-70A & PL-70 Inch
Α	Base — Width	10	111/4	13	13
В	Boltdown — Width	41/2	41/4	53/4	5 3/4
C	Boltdown to Edge	-1	3/4	3/4	3/4
D	Base to Crank CTR	5½	7	8	. 81/4
E	Overall Width	18	27	30	33
F	Overall Height	23 1/4	23 ¾	32	33 3/4
H	HP Exh. Opening Manifold	3/4" Tubing	34 NPT	1" Tubing	1¼ <u>N</u> PT
	Boltdown Hole Dia.	1/2	3/4	3/4	3/4
J	Base — Depth	71/2	9 3/4	12	13 ¼
K	Boltdown — Depth	5¾	8 1/4	10	11 1/4
L	Boltdown to Edge	1	1	And the second committee of th	
М	Bolt Hole to Wheel (Max.)	3	3 1/4	53/4	5 3/4
N	Flywheel — Width	21/2	2 3⁄4	31/2	3 ½
0	Crank Diameter	1	13/4	2 1/4	21/4
Р	Flywheel Diameter	161/2	19	22	22
Q	Flywheel	2VB	2VB	3VB	3VB
R	Overall Depth	20	22 1/2	271/2	281/2
Appro	ximate Shipping Weight (lbs.)	125	220	440	570














EPECIFICATIONS

40	11,413	HORIZON	TALTANK	MOUNTED UNI	TS EL	ECTRIC DRIVEN			125 PSI Rat	no*	916449	175 PSI Ra	ino*	28.3	nen noi na	
Motor	Tank	R-Series	Pump	PL-Series	Ритр	LxWxH	Aprox				2.0		400		250 PSI Ra	4.2
-HP	Cap Gal.	CASRSA	Comp Model	CBSPLA	Comp. Model	Dimensions inches	Ship	RPM	ČEM Displ.	CFM. Dely	RPM	- CFM Displ	CFM. Del'v	RPM	CFM Displ	CFM
	30	HR1-3	11000	_	INOUG	41½ x 21 x 44½	Wt. lbs. 300					J. J	Dury	2.00	Dispa:	Del'y
11/2	60	HR1-6		- com a series professor (como concessor and	1	51½ x 22¾ x 48¾	400	575	11.2	6.0	F40	1,05		1	1	1
	80	HR1-8	D 100			66½ x 22¾ x 48¾	425	3/3	11.2	0.0	542	10.5	5.3	-	-	
	30	HR2-3	R-10D	C0055000 WE WAR TANK TO SHOW THE	-	41½ x 21 x 44½	320		· · · · · · · · · · · · · · · · · · ·	A CONTRACTOR OF STREET	APPENDENT ANNUAL ACCOUNT				SPE SALARA VILLERIA SPERMANNA	ed annis remervir gas
2	60	HR2-6	l	COM - AND ST COTT - NAME TO STREET	1	51½ x 22¾ x 48¾	425	765	14.9	8.3	725	1	7,	1]	
	80	HR2-8			1	66½ x 22¾ x 48¾	455	1 100	14.5	. 0.3	120	14.1	7.5	-	-	1 -
	60	HR3-6	Wer strong but you	HPL3-6	***************************************	51½ x 22¾ x 48¾	425		ti e merci, stati a anno e		- Announced the second		te comment	-	***************	e constant and on
3	80	HR3-8		HPL3-8	1	66½ x 22¾ x 48¾	485	485	14.1	10.9	440	12.8	0.7	,,,,	1	
	120	HR3-12		HPL3-12		72½ x 24 x 55	725	100	17.1	10.5	440	12.0	9.7	380	11.0	8.0
	60	HR5-6	R-15B	HPL5-6	51.45	51½ x 22¾ x 48¾	445	omo montelesso de Audion.	CONTRACTOR OF STREET	merchanic constraint of	reenanteen	Marine No. of the Assessment	a warming		marine was a suit.	Commission was as
5	80	HR5-8	מכו-ח	HPL5-8	PL-15	66½ x 22¾ x 48¾	535	805	23.5	19.1	710	20.7	16.5	*		
	120	HR5-12		HPL5-12		72½ x 24 x 55	765	000	20.0	10.1	710	20.1	10.5	640	18.6	13.6
1	80	HR7F-8	HPL7F-8		66½ x 22¾ x 48¾	570	C TOTAL PRODUCTION OF THE PARTY.	RECORDED THE RECORDED AND	Producer in community of the	destroyer - a z.z.	0.000000000000000000000000000000000000	ermer Outs Marsus enser 17,500	······································	O CONTRACTOR OF THE CONTRACTOR	MARKET PROPERTY OF THE PARTY OF	
71/2	120	HR7F-12		HPL7F-12		72½ x 24 x 55	800	990	28.7	23.1	990	28.7	23.1	870	25.5	18.2
172	80	HR7-8		HPL7-8	Since Annual Confession Confessio	66½ x 22½ x 49¾	665		M-Armonico construiro (AM)	puntil simo a commente.		THE PART AND ADDRESS.	est. Fr	Professional Consultation	-	ermanistic (i.e. joe menganistic)
TOTAL TANDANCA	120	HR7-12		HPL7-12		72½ x 24 x 55¼	860	670	39.6	30.0	575	33.5	25.8	520	30.2	21.3
1	80	HR10-8		HPL10-8	PL-30	66½ x 22½ x 49¾	675	CONTRACTOR SERVICES	Martin and the State of State	PROBLEM WALLEY AND	more appropriate to the con-	THE OWNER, A T	W. Soorway massac.	COSTO BIRTHAN PROM		METABLE SHAPE ANY OLD SERVICE
10	120	HR10-12	R-30D	HPL10-12		72½ x 24 x 55¼	890	810	47.3	37.3	740	43.1	34.8	640	37.1	07.5
-	250	HR10-25	N-30D	HPL10-25	ļ	87½ x 34¼ x 61½	1283	0,0		01.0	140	40.1	34.0	040	37.1	27.5
	80	HR15F-8				66½ x 22½ x 49¾	740		***************************************	**************************************	~0.000000000000000000000000000000000000	TEAT THEY WAS	······································	TOTAL CONTRACTOR	Side-contract company and	MINO EL LINOS COLO
	120	HR15F-12		HPL15F-12	PL-30	72½ x 24 x 55¼	960	1045	60.9	50.2	1045	60.9	49.0	900	52.5	10.0
15	250	HR15F-25	TOTAL MESTAGRAS	HPL15F-25	LT-20	88½ x 31 x 60½	1275			-	10.10	00.5	73.0	300	32.0	42.6
	120	HRA15-12	R-40A	HPL15-12	PL-40	73½ x 27½ x 62½	1110		Mahada e e e e e e e e e e e e e e e e e e	**************************************	AL YAMBERDANIA	on the second	Partie Carrier	1000 NOTES ASSESSMENT	MITTAL CONTRACTOR	THE RESIDENCE OF THE PARTY OF T
ormanica compressor	250	HRA15-25	11-40/1	HPL15-25	rL-40	88½ x 31 x 68¾	1495	890	71.1	59.0	770	61.5	53.7	700	55.9	45.8
20	120	HRA20-12		HPL20-12		73½ x 27½ x 64	1325	777			·····	TORREST VICTOR AND A	and and an extension of	Name and the second	CONTRACTOR CONTRACTOR	mental services
	250	HRA20-25		HPL20-25		88½ x 31 x 70¼	1790	770	109.0	91.9	655	93.0	76.7	545	77.4	64.1
25	120	HRA25-12	R-70A	HPL25-12	PL-70	73½ x 27½ x 64	1365	200	407.0			CONTROL CONTROL	Michigan are consistent and	V		
er errostrassas s	250	HRA25-25	110/1	HPL25-25	1 L-70	88½ x 31 x 70¼	1735	890	127.8	102.1	770	109.4	90.1	660	93.7	76.8
30	120	HRA30-12		HPL30-12		73½ x 27½ x 64	1404	000	407.0	100.4		Marie A. Porto.	· · · · · · · · · · · · · · · · · · ·		eprocessors and an expensive section of the section	When an annual construction of
لـــّـــا	250	HRA30-25		HPL30-25		88½ x 31 x 70¼	1774	890	127.8	102.1	890	127.8	101.0	770	109.4	90.0

		WEVERIIG!	LSTANK M	OUNTED UNITS		THIC DRIVEN		1	25 PSI Rati	10*		75 PSI Rafi	mo*		50 PSI Rati																					
Motor HP	Tank Cap Gal	R-Series CASRSA	Pump Comp Model	PL Senes CBSPLA	Pump Comp Models	Ex.Wx.H Dimensions inches	Aprox Ship Will this	RPM	CFM Displ.	CFM Dely	BPM	CFM Displ	CFM Dely	RPM.	NAME OF	CFM .																				
1½	60	VR1-6				32½ x 22½ x 76½	400	576						#1	61 man and 62	2 2																				
172	80	VR1-8	R-10D	_			32 x 24 x 77	425	575	11.2	6.0	542	10.5	5.3	_	-	-																			
2	60	VR2-6	טטו יוו			321/2 x 221/2 x 761/2	425	705	Andrew Commence	disconnect of Subsequent	entransia di carabar bed Anna	Breeze go tay', samege.	13 (3 (A)	- to comment on the Carrier	n gerr elder Glassack stommer	~ minima																				
	80	VR2-8	Show to the same of the same o	**************************************		32 x 24 x 77	455	765	14.9	8.3	725	14.1	7.5		-	-																				
	60	VR3-6		VPL3-6		32½ x 22½ x 76½	425	al case asserted to the second	 WYSSERWARDS 			Million was re-	to the second of	TOTAL CO. C.	TEMPORE AND ADDRESS OF	and the second s																				
3	80	VR3-8		VPL3-8		32 x 24 x 77	485	485	14.1	10.9	440	12.8	9.7	380	11.0	8.0																				
mon money were appropriately	120	VR3-12		VPL3-12		42½ x 30 x 80½ 725			i					0.0																						
	60	VR5-6	D.15D	VPL5-6 PL-15 32½ x 22½ x 76½ 455	-milera esme a contraria	esser en marco. S.	er can habe e e e	o manner org	Contract of the second	Life Shares ready to the second																										
5	80	VR5-8	K-15B	R-15B	K-15B	K-15B	K-12B	K-12B	K-15B	K-15B	K-15B	K-15B	K-12B	K-15B	K-15B	K-15B	K-12R	K-12R	K-15B	K-15B	K-15B	K-15B	K-12R	VPL5-8	FL-13	33 x 24 x 77	535	805	23.5	19.1	710	20.7	16.5	640	18.6	13.6
escrement de	120	VR5-12															VPL5-12			42½ x 30 x 82	765								10.0	10.0						
	80	VR7F-8		VPL7F-8		33 x 24 x 77	570	000	00.7		L same recovering	Ye, e springer reco	L - 1 10 1			endermonen																				
71/2	120	VR7F-12	The state of the s	VPL7F-12		42½ x 30 x 82	800	990	28.7	23.1	990	28.7	23.1	870	25.5	18.2																				
1/2	80	VR7-8		VPL7-8		42½ x 30 x 82	665	070	00.0	M4 - 17 - 7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		Britisher v. 1984.		Mark of the second	C1003-18-7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Marketon, Ca. C.																				
	120	VR7-12		VPL7-12	DI 20	463/8 x 30 x 82	800	670	39.6	30.0	575	33.5	25.8	520	30.2	21.3																				
10	80	VR10-8	R-30D	VPL10-8		42½ x 30 x 66 3/4	860	040	40.5	07.0		V				Marwall . M , . ,																				
	120	VR10-12		VPL10-12		463/8 x 30 x 803/4	890	810	48.5	37.3	740	43.1	34.8	640	37.1	27.5																				
15	120	VR15F-12				463/8 x 30 x 803/4	890	1045	63.5	50.2	1045	63.5	49.0	900	52.5	42.6																				

SPECIFICATIONS

	and the	1.00			BASE MOUNTED UNIT	S 4 ELI	CTRIC) DRIV	EN			6	1 7/12			
Motor	R-Series	Pump Comp	PE-Series	Pump	LxWxH	Aprox.	125 PSI Radi		ng"	175 PSI Rating*			250 PSI Rating*		ing*	
HP	CABRSA	Model	CBBPLA	Comp Model	Dimensions inches	Ship Wt. Ibs.	RPM	CFM Displ	CFM . Del'y	RPM	CFM Displ	CFM Del'y	APM	CFM - Displ	CFM Del'v	
1½	BR-1	R-10D			001/04001/	205	575	11.2	6.0	542	10.5	5.3	_	Сюрг	Day	
2	BR-2	11-100		_	29½ x 21 x 29¼	205	765	14.9	8.3	725	14.1	7.5		to the second		
3	BR-3		BPL-3		e de la secono com encia de la comencia del comencia del comencia de la comencia del la comencia de la comencia del la comencia de la comenci	230	485	14.1	10.9	440	12.8	9.7	380	11.0	8.0	
5	BR-5	R-15B	BPL-5	PL-15	30½ x 21 x 29¼	280	805	23.5	19.1	710	20.7	16.5	640	18.6	13.6	
71/2	BRF-7		BPL-7F		ow.	310	990	28.7	23.9	990	28.7	23.1	870	25.5		
172	BR-7		BPL-7	er nome. Vi enne verseen oberende	Selection of contractive and engineering contractive and another contractive and the c	430	670	39.6	30.0	575	33.5	25.8	520	30.2	18.2	
10	BR-10	R-30D	BPL-10	PL-30	42¾ x 22¼ x 28¾	540	810	48.5	37.3	740	43.1	34.8	640		21.3	
4,5	BRF-15		BPL-15F		CCCCCC 226 Server Marcolds villa Million control of the CCC MIRCOlds and the CCC MILLION conductions.	550	1045	63.5	50.2	1045	63.5	······································		37.1	27.5	
15	BRA-15	R-40A	BPL-15	PL-40	49½ x 26¼ x 38	730	890	71.1	59.0	770	61.5	49.0	900	52.5	42.6	
20	BRA-20	The state of the s	BPL-20	COMMENT OF THE PARTY OF THE PAR	North Control (1997) And Annual Control (1997) Annual Control (199	1000	770	109.0	91.9			53.7	700	55.9	45.8	
25	BRA-25	R-70A	economic control con a company of a construction of	CONTRACTOR CONTRACTOR SON CONTRACTOR	PL-70	53 x 27½ x 39½	1020	890	CAPPERATE CONTRACTOR		655	93.0	76.7	545	77.4	64.1
30	BRA-30				33 A Z1 /2 A 33/2	Wheeler Translation and August	MINISTER MANAGEMENT	127.8	102.1	770	109.4	90.1	660	93.7	76.8	
	3.0.00		DI-L OU			1059	890	127.8	102.1	890	127.0	101,1	770	109.4	90.0	

10				A.	ikanot	Medaealiniaaka	Mrs#	ELEC		EME						
Motor	Tank Cao	R-Series -		PL-Series	Pump Comp	LxWxH	, Aprox		25 PSI Ran	ogʻ		75 PSI Rai	ng		50 PSI Rati	ng*
HP	Gal.	CADRSA	Model	CBOPLA	-Model -	Dimensions Inches	Ship. W. ibs.	PPM :	CFM Displ.	CFM Dely	RPM	CFM Displ.	CFM. Dely	RPM	CFM .	CFM Del'v
2 (2)	80	HR2D-8	R10D			67½ x 28½ x 50½	715	765	29.8	16.6	725	28.2	15.0			
	120	HR2D-12	11100	Marie Victoria in the Company of the		91¾ x 26½ x 48¾	940	765	29.8	16.6	725	28.2	15.0		Antonomic Carlo Admin	
3 (2)	80	HR3D-8		HPL30-8		67½ x 28½ x 50¼	725	485	28.2	21.8	440	25.6	19.4	380	22.0	16.0
	120	HR3D-12		HPL30-12		91¾ x 26½ x 48¾	950	485	28.2	21.8	440	25.6	19.4	380	22.0	16.0
5 (2)	80	HR5D-8		HPL5D-8		67½ x 28½ x 50¼	755	805	47.0	38.2	710	41.4	33.0	640	37.2	27.2
	120 HR7DF-12 HR7DF-12	HR5D-12	R-15B	HPL5D-12	PL-15	91¾ x 26½ x 48¾	980	805	47.0	38.2	710	41.4	33.0	640	37.2	27.2
		HPL7D-12		91¾ x 26½ x 50¼	1305	670	79.2	60.0	575	67.0	51.6	520	60.4	42.6		
7½ (2)		HR7DF-25		HPL7DF-25		The second of th	1485	990	57.4	47.8	990	57.4	47.8	870	51.0	36.4
		HR7DF-25		HPL7DF-25		071/ 20 64	1675	670	79.2	60.0	575	67.0	51.6	520	60.4	42.6
10 (2)		HR10D-25	R-30D	HPL10D-25	PL-30	87½ x 32 x 64	1725	810	97.0	74.6	740	86.2	69.6	640	74.2	55.0
15 (2)	250	HR15DF-25	N 7 Mar Horocoppios America annual	HPL15DF-25			1860	1045	127.0	100.4	1045	127.0	98.0	900	105.0	85.2
10 (2)	200	HRA15D-25	R-40A	HPL15D-25	PL-40	88½ x 55 x 73½	2460	890	142.2	118.0	770	123.0	107.4	700	111.8	91.6
20 (2)		HRA20D-25		HPL20D-25		아이에 아이에 가는 아이에	2845	770	218.0	183.8	655	186.0	153.4	545	154.8	128.2
25 (2)		HRA25D-25	mater and framework a service and the service	PL-70	88½ x 62 x 74¾	2940	890	255.6	204.2	770	218.8	180.2	660	187.4	153.6	
30 (2)		HR30D-25		HPL30D-25			3018	890	255.6	204.2	890	255.6	202.0	770	218.8	180.0

Note: Pressure Lubricated units are capable of 250 PSIG operation *Units tested in accordance with CAGI/PNEUROP Acceptance Test Code PN2CPTC2.

SPECIFICATIONS

	28 to 10	P4 (2		E-71	TANK	MOUNTED UNIT	S - ENGINE	DRIVEN				4.	77 - 47 - 12 - 42	
Motor	Tank Cap	R-Series	Pump '	PL-Series	Ритр	LxWxH	Splash	Pressure •	175 PSI Rating*			250 PSI Rating*		
HP.	Gal.	CAERSA	Comp Model	CBEPLA	Comp Model	Dimensions inches	Aprox. Ship Wt. Ibs.	Aprox. Ship Wi. Ibs.	RPM	CFM Disol.	CFM Del'y	RPM	CFM Displ	CFM Del'y
8	30	HGR3-3		HGPL3-3		38 x 22¾ x 45	345	345	600	17.9	14.3	_	_	_
	30	HGR5-3		HGPL5-3		38 x 22¾ x 45½	409	450		**************************************				CONTRACTOR STATE OF
	8	HGR5-LP		HGPL5-LP		40 x 21¾ x 34¾	404	445						
***11	CO C. CONTONIO DECONOMISMO	BGR5		BGPL5		36½ x 21 x 28¾	279	320	895	26.1	20.1	650	18.9	13.6
	60	HGR5-6H	R-15B	HGPL5-6H	PL-15	32½ x 21 x 48	475	514	1					
per Zeromenegg	80	HGR5-8	11-190	HGPL5-8	66½ x 21 x 51	514	555]					
	30	HGR6-3		HGPL6-3		38 x 22¾ x 45½	399	440	THE STATE OF THE S	CONTRACT CONTRACTOR	AND CONTROL OF COMMON PARTY.	an - en 🏟 ecol. :	nemen or a street ready as	errores esterator y en en en en
121/2	60	HGR6-6K		HPL6-6H		32½ x 21 x 48	475	514	1005				İ	
12.72	80	HGR6-8		HGPL6-8		66½ x 21 x 51	514	555	1025	29.9	23.2	950	27.7	19.8
		BGR6		BGPL-6		40 x 21 x 29 1/4	279	279						
20	80	HGR10-8	R-30D	HGPL10-8	ם או	66½ x 21 x 49¾	715	715	765	44.6	34.4	680	39.6	29.5
23	5	BGR-12	ท-งบบ	BGPL-12	BGPL-12 PL-30	46 x 28 x 35¾	645	645	940	55.0	39.5	810	489	38.0
27	4 (2)	BDRA-15	R-40A	BDPL-15	PL-40	52 x 29 x 42	813	813	. Alternatives of the second o	***************************************	COLUMNIA DE MINES QUANTO 196.4		***************************************	TEST MALINEW VILL
35	5	BGRA-15	N-40A	BGPLA-15	PL-40	63 x 41 x 49	1075	1075	910	72.8	59.0	800	64.0	51.5
	30	HDR5-3	R-15B	HDPL-15	PL-15	38 x 32 x 46	500	500	AN ORDER OF PROPERTY.	20.7	16.5	650	18.9	13.6
*9	-	BDR5		BDPL-5		38¾ x 21 x 29¾	493	493	710					
	60	HDR5-6		HDPL5-6		32 x 22 x 49	518	518						

NOTE: Pressure lubricated units are capable of 250 PSIG operation. 12.5 HP and larger packages do not come equipped with a fuel tank.
*Diesel Driven **Units tested in accordance with CAGI/PNEUROP Acceptance Test Code PN2CPTC3. ***Honda Engine

							3,10	EUN	PS 4			44.00		
Molor VHP *	R-Series	PL-Senes CBPPLA	Displ/Rev dubic leer	125 PSI Rating*		175 PSI Pating*		- 250 PSI Rating*		Bore		100	100	Apriox
	*CAPRSA			RPM	CFM / Del'y	RPM	CFM : Dely :	RPM	CFM Del'y	Inches dia.	Stroke inches	Number Cylinders	Capacity quarts	i Ship Weight pounds
1½	R-10D	_	.01942	575	6.0	542	5.3	_	_	4 ⁵ / ₈ & 2 ¹ / ₂	2	2	2	125
2	11 100	THE		765	8.3	725	7.5							
3			.02916	497	11.8	440	9.7	380	8.0		MANTON AMERICAN NEW WOODS STOLEN ALEXANDE			
5		PL-15A		805	19.1	710	16.5	640	13.6		3 -			
71/2	FF-14-14-14-14-1-1-1-1-1-1-1-1-1-1-1-1-1			990	239	990	28.7	870	18.2					
CONTRACTOR OF A		PL-30A	.05828	670	30.0	575	25.8	520	21.3			4	4	220
10	R-30D			810	37.3	740	34.8	640	27.5					
15		Street - 1997 5 2552° 900ModernMercunstrations		1045	50.2	1045	49.0	900	42.6					
p-w	R-40A	PL-40A	.0800	890	59.0	770	53.7	700	45.8		4½	2	4	440
20	con man	PL-70A	.1420	770	91.9	655	76.7	545	64.1	6¼ & 3¼	4	4	6½	570
25				890	102.1	770	90.1	660	76.8					
30			-	890	102.1	890	101.0	770	90.0					

Note: Pressure Lubricated units are capable of 250 PSIG operation *Units tested in accordance with CAGI/PNEUROP Acceptance Test Code PN2CPTC2.

THE CHAMPION ASSEMBLED UNIT WARRANTIES

COMPRESSOR PUMP WARRANTY

Each new Champion Assembled Unit has a five (5) year warranty on the compressor pump only, against defects in materials or workmanship under normal use and service, from the date of installation or sixty-six (66) months from the date of shipment by Champion or a Champion distributor, whichever may occur first.

The five-year extended warranty covers parts and labor and is prorated over the five years as follows:

Year One -- 100% coverage

Year Two — 90% coverage

Year Three --- 80% coverage

Year Four - 70% coverage

Year Five — 60% coverage

Head valves are warranted for Year One only. Champion makes no warranty on components and/or accessories furnished to Champion by third parties, such as electric motors, gasoline engines and controls. These are warranted only to the extent of the original manufacturer's warranty to Champion. Electric motors must be equipped with thermal overload protection to have warranty consideration.

The extended five-year warranty will apply to ASME air receivers if they are installed on rubber vibro isolator pads or approved equivalent.

SMEAR ELECTRIC MOTOR?

Any Champion package purchased after January 1, 2003 built with a Baldor or Toshiba electric motor are warranted for 60 months from start-up or 63 months from shipment. Other manufacturer's motors furnished due to customer request or special requirements carry the motor manufacturer's warranty.

PACKAGE WARRANTY

Champion warrants each new air compressor package to be free from defects in material and workmanship under normal use and service for a period of one year (12 months) from the date of installation or 15 months from the date of shipment by Champion.

LUMITED WARRANTY

Warranty shall not apply to any equipment which has been subjected to misuse, neglect or accident, nor shall it apply to any equipment that has been repaired or altered by any person(s) not authorized by Champion. Failure caused by lack of proper maintenance is not covered by warranty.

In no event shall Champion be liable for consequential damages or contingent liabilities arising out of failure of any compressor or part to operate properly. When a compressor pump or component is changed or replaced during the warranty period, the new/replaced item(s) is warranted for only the remainder of the original warranty period. Complete warranty details are included in compressor operating manual.

SUCCESSION SPECIAL

Champion, in common with other major, industrial compressor manufacturers, does not market compressors which are U.L. listed. In general, U.L. is concerned with electrical components that may be utilized on compressor units, rather than a complete compressor package or system. All electrical components used on Champion compressors are U.L. listed. Each component - motor, starter, pressure switch, control panel - carries a U.L. identification mark on the nameplate or inside the electrical enclosure cover. The mark will be the letters "UR" reversed (as if held up to a mirror), indicating the item is "recognized" by U.L. On tankmounted units, the air receiver tank and tank pressure relief valve are ASME Code. The tank carries a National Board Registration number which appears on a stamped, metal plate welded to the tank.



1301 North Euclid Avenue
Princeton, Illinois 61356 USA
Phone 888/436-5499
Fax 815/872-0421
E-mail: Champion@championpneumatic.com
www.championpneumatic.com







© 2005 Gardner Denver, Inc. Printed in U.S.A. C1-2-5-204 7th Edition 3/05

Due to Champion's continuing product development program, specifications and materials are subject to change without notice or obligation.

Safety Valves-ASME

All F.C. Kingston safety valves are manufactured under a quality control system approved by the National Board of Boiler and Pressure Vessel Inspectors.

Safety ValvesASME

Model 112C

Features


- Precision machined with hard seat.
- Every safety valve set and tested at factory for quality and dependability.

Model 112C safety relief valves are of brass construction with a precision machined seat. Available in three types:


- 1) 112CBrass body with chrome ball.
- 2) 112CSSBrass body with stainless steel ball and stainless steel spring.
- 3) 112CR1/4' NPT only. All stainless steel construction.

All models have pull rings for manual testing. Set pressure tolerance $\pm 3\%$. Stamped with UV + NB symbols. Registered in all Canadian provinces and territories.

Set pressure range 25-300 PSIG. Max. temp. 250°F.



Model 112C



Click for Enlarged View

Model	Inlet Size	Orifice Diam.	Figure Number	Dimer Heigh	nsions t/Hex	Set Press. (Range-PSIG)	Approx. Ship wt.	
112C	1/4 NPT	.250	112C-2-000	3 1/8	3/4		4 oz.	
	3/8 NPT	.250	112C-3-000	3 1/8	3/4	25-300	4 oz.	
	1/2 NPT	.375	112C-4-000	3 3/4	7/8		7 oz.	

Storm Manufacturing Group, Inc.

23201 Normandie Ave., Torrance, CA 90501-5050 sales@fckingston.com | smgsales@storm-manufacturing.com